

TRIAL HIGHER SCHOOL CERTIFICATE EXAMINATION

MARKING GUIDELINES

Mathematics Advanced

The Marking Guidelines show the criteria to be applied to responses along with the marks to be awarded in line with the quality of responses. These guidelines are suggested and not prescriptive. This is not intended to be an exhaustive list but rather an indication of the considerations that students could include in their responses.

Section I 10 Marks

Questions 1-10 (1 mark each)

Question	Answer	Outcomes Assessed	Targeted Performance Bands
1	D	MA12-8	2-3
2	A	MA11-3	2-3
3	В	MA12-8	3
4	D	MA22-7	3-4
5	С	MA11-7	4
6	В	MA12-1	3-4
7	A	MA11-1	2-3
8	С	MA11-6, MA12-1	4-5
9	A	MA11-5	4-6
10	D	MA12-4	5-6

DISCLAIMER

Question 11 (2 marks)

Outcomes Assessed: MA-12-2

Targeted Performance Bands: 3-4

Criteria	Marks
Correct answer	3
Some progress towards the answer	2
Correctly determines the value to use from the table	1

Sample answer:

$$4.1836 \times 2200 = $9203.92$$

Investment =
$$2200 \times 4$$

$$=$8800$$

$$=$$
\$403.92

Question 12 (2 marks)

Outcomes Assessed: MA11-1, MA11-6

Targeted Performance Bands: 3-4

Criteria	Marks
Correct answer	2
Some progress towards the answer	1

Sample answer:

$$\frac{729}{4\sqrt{3} - \sqrt{27}} = \frac{3^6}{4 \times 3^{\frac{1}{2}} - 3 \times 3^{\frac{1}{2}}}$$

$$= \frac{3^6}{3^{\frac{1}{2}} (4 - 3)}$$

$$= 3^{\frac{11}{2}}$$
so $a = \frac{11}{2}$ or $5\frac{1}{2}$

DISCLAIMER

(a) (2 marks)

Outcomes Assessed: MA11-3

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards the answer	1

Sample answer:

$$\frac{BC}{\sin 70^{\circ}} = \frac{80}{\sin 50^{\circ}}$$

$$BC = \frac{80 \sin 70^{\circ}}{\sin 50^{\circ}}$$

$$\approx 98.1345...$$

$$\approx 98 \,\text{m} \,\text{(to the nearest metre)}$$

(b) (2 marks)

Outcomes Assessed: MA11-3

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards the answer	1

Sample answer:

$$\cos 30^{\circ} = \frac{w}{98}$$

$$w = 98 \times \cos 30^{\circ}$$

$$\approx 84.8704...$$

$$\approx 85 \,\text{m} \, \text{(to the nearest metre)}$$

DISCLAIMER

(a) (2 marks)

Outcomes Assessed: MA11-2

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards the answer	1

Sample answer:

solve simultaneously
$$\begin{cases} 9 = -3a + b & 1 \\ -7 = 5a + b & 2 \end{cases} = \begin{cases} 1 - 2 \\ -16 = 8a \\ a = -2 \end{cases}$$

Substituting back into $\boxed{1}$:

$$9 = -3\left(-2\right) + b$$

$$b = 9 - 6 = 3$$

So
$$a = -2, b = 3$$

(b) (1 mark)

Outcomes Assessed: MA11-2

Targeted Performance Rands: 3-4

Criteria	Marks
Correct answer	1

Sample answer:

$$f(f(x)) = f(3-2x) so f(f(x)) = 0$$

$$= 3-2(3-2x) 4x-3 = 0$$

$$= 4x-3 x = \frac{3}{4}$$

DISCLAIMER

Question 15 (3 marks)

Outcomes Assessed: MA12-4

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	3
•	Significant progress towards an expression for A_3	2
•	Correctly forms and expression for A_1	1

Sample answer:

$$A_1 = 50\,000(1.0025) - 750 = 49\,375$$

$$A_2 = 49375(1.0025) - 750 = 48748.4375...$$

$$A_3 = 48748.44(1.0025) - 750 = 48120.31$$

Reduction in balance=
$$50\ 000 - 48\ 120.31$$

= 1879.69

Question 16 (2 marks)

Outcomes Assessed: MA11-6, MA12-3

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Significant progress towards a correct answer	1

Sample answer:

$$\frac{dy}{dx} = \frac{1}{x} \text{ and } \frac{d^2y}{dx^2} = \frac{-1}{x^2}$$

$$LHS = \frac{d^2y}{dx^2} + \left(\frac{dy}{dx}\right)^2 = \frac{-1}{x^2} + \left(\frac{1}{x}\right)^2 = \frac{-1}{x^2} + \frac{1}{x^2} = 0$$

$$= \text{RHS, as required}$$

DISCLAIMER

(a) (2 marks)

Outcomes Assessed: MA12-7 Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	2
•	Significant progress towards a correct answer	1

Sample answer:

Shaded area
$$\approx \frac{12.5}{2} (19+22) + \frac{12.5}{2} (22+18) + \frac{12.5}{2} (18+21) + \frac{12.5}{2} (21+32)$$

 $\approx 1081.25 \,\mathrm{m}^2$

(b) (1 mark)

Outcomes Assessed: MA11-1 MA11-9 Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$\frac{\text{shaded area}}{\text{total area}} \approx \frac{1081.25}{2500} \times \frac{100}{1}$$
$$\approx 43.25\%$$

Question 18

(a) (2 marks)

Outcomes Assessed: MA12-8, MA12-9

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Significant progress towards a correct answer	1

Sample answer:

 $v \approx 0.03w + 18.75$

DISCLAIMER

(b) (2 marks)

Outcomes Assessed: MA12-8, MA12-10

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Significant progress towards a correct answer	1

Sample answer:

 $r \approx 0.199$ (3 decimal places)

This is a weak positive correlation. The data does not confirm that there is an association between bodyweight and vertical jump.

Question 19

(a) (2 marks)

Outcomes Assessed: MA11-1

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	1

Sample answer:

at x = 1:

f(1) = 1

to the right: f(1)=1

these are not equal, so the function is not continuous at x = 1.

to the left: f(1) = 2

(b) (1 mark)

Outcomes Assessed: MA11-2

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$f(-1)+f(2)=(-1)^2-2(-1)+2+2+1=8$$

DISCLAIMER

(c) (1 mark)

Outcomes Assessed: MA11-2

Targeted Performance Bands: 4-5

Criteria	Marks
Correct answer	2
Significant progress towards a correct answer	1

Sample answer:

Check the values at the endpoints:

at
$$x = -3$$
, $y = (-3)^2 - 2(-3) + 2 = 17$ at $x = 1$, $y = (1)^2 - 2(1) + 2 = 1$
at $x = 1$, $y = (1) + 1 = 2$ at $x = 6$, $y = (6) + 2 = 8$

So, the range is 1 < y < 17.

Question 20

(a) (1 mark)

Outcomes Assessed: MA11-6

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$A = 800 \times (1.25)^4$$
$$= 1953.125$$

The affected area after 4 weeks is approximately 1953 hectares.

(b) (2 marks)

Outcomes Assessed: MA11-6

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$24.1 \times 10^6 = 800 \times (1.25)^n$$

$$(1.25)^n = \frac{24.1 \times 10^6}{800}$$

$$(1.25)^n = 30125$$

$$n = \frac{\ln(30\ 125)}{\ln(1.25)}$$

$$\approx 46.217...$$

It will take the locusts approximately 47 weeks to take over Uganda.

DISCLAIMER

Question 21 (4 marks)

Outcomes Assessed: MA11-2

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	4
•	THREE correct steps of working	3
•	TWO correct steps of working	2
•	Progress towards formulating the correct quadratic equation	1

Sample answer:

$$6x - x^{2} = 1.71$$

$$x^{2} - 6x + 1.71 = 0$$

$$x = \frac{6 \pm \sqrt{36 - 4(1.71)}}{2}$$

$$= \frac{6 \pm 5.4}{2}$$

$$= 5.7 \text{ or } 0.3$$

So, at average head height, there is 5.7-0.3= 5.4 m of available horizontal distance. $5.4 \div 1.3 \approx 4.15...$

So, 4 people can walk down the path without getting wet.

Question 22

(a) (2 marks)

Outcomes Assessed: MA12-3

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct application of the product rule	1

Sample answer:

$$\frac{d}{dx}(x\cos x - \sin x) = \sin x - x\sin x - \sin x$$
$$= -x\sin x, \text{ as required.}$$

DISCLAIMER

(b) (2 marks)

Outcomes Assessed: MA12-3, MA12-7

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$\int_0^{\frac{\pi}{4}} x \sin x \, dx = -\left[x \cos x - \sin x\right]_0^{\frac{\pi}{4}}$$
$$= -\left(\frac{\pi}{4} \times \frac{1}{\sqrt{2}} - \frac{1}{\sqrt{2}}\right)$$
$$= \frac{1}{\sqrt{2}} \left(1 - \frac{\pi}{4}\right)$$
$$= \frac{1}{4\sqrt{2}} \left(4 - \pi\right)$$

Question 23


(a) (1 mark)

Outcomes Assessed: MA11-7

Targeted Performance Bands: 3-4

	Criteria	Marks
•	Correct answer	1

Sample answer:



DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NSW Board of Studies. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

10

(b) (2 marks)

Outcomes Assessed: MA11-7

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$P(\text{same colour}) = P(\text{black \& black}) + P(\text{red \& red}) \qquad P(\text{different colour}) = 1 - P(\text{same colour})$$

$$= \frac{7}{19} \times \frac{6}{18} + \frac{12}{19} \times \frac{11}{18} \qquad = 1 - \frac{29}{57}$$

$$= \frac{174}{342} \qquad = \frac{28}{57}$$

So, Lucas is more likely to select two counters of the SAME colour.

Question 24 (3 marks)

Outcomes Assessed: MA12-7

Targeted Performance Bands:4-5

	Criteria	Marks
•	Correct answer	3
•	Correctly completes TWO steps towards the correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$\int_{2}^{k} \frac{dx}{x} = \int_{k}^{18} \frac{dx}{x}$$

$$\ln k - \ln 2 = \ln 18 - \ln k$$

$$2 \ln k = \ln 36$$

$$\ln k = \ln \sqrt{36}$$

$$k = 6 \quad (k > 0)$$

DISCLAIMER


Question 25 (4 marks)

Outcomes Assessed: MA12-8

Targeted Performance Bands: 4-5

Criteria	Marks
Correct answer	4
Correctly completes THREE steps towards the correct answer	3
Correctly completes TWO steps towards the correct answer	2
Some progress towards the correct answer	1

Sample answer:



$$P_1(A) = \frac{5+k}{20+k}$$
$$P_2(B) = \frac{12+k}{20+k}$$

Independent means:

$$\frac{5+k}{20+k} \times \frac{12+k}{20+k} = \frac{k}{20+k}$$
$$60+17k+k^2 = 20k+k^2$$
$$k = 20$$

So, 20 students study both Art and Biology.

Question 26

(a) (2 marks)

Outcomes Assessed: MA12-8

Targeted Performance Bands: 4

Criteria	Marks
Correct answer	2
Some progress towards the correct answer	1

Sample answer:

x	3	4	5	6	7
P(X=x)	1	4	6	4	1
P(X = X)	16	16	16	16	16

DISCLAIMER

(b) (2 marks)

Outcomes Assessed: MA12-8

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$P(X=5|X \ge 4) = \frac{6}{15} = \frac{2}{5}$$

Question 27

(a) (1 mark)

Outcomes Assessed: MA12-3

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$0.3t^2 = 30$$

$$t^2 = 100$$

$$t = 10$$
 seconds

(b) (2 marks)

Outcomes Assessed: MA12-3

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	2
•	Some progress towards correct answer	1

Sample answer:

$$x(t) = \int_0^{10} (0.3t^2) dt$$
$$= \left[\frac{0.3t^3}{3} \right]_0^{10}$$
$$= 100 - 0$$
$$= 100 \text{ m}$$

DISCLAIMER

(c) (1 mark)

Outcomes Assessed: MA12-3

Targeted Performance Bands: 4-5

Criteria	Marks
Correct answer	1

Sample answer:

average speed=
$$\frac{100}{10}$$
$$=10$$

So, the average speed is 10 m/s.

Question 28

(a) (2 marks)

Outcomes Assessed: MA12-8

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	2
•		1

Sample answer:

$$P(\hat{X} > 0.6) = 1 - F(0.6)$$

$$= 1 - \frac{1}{3}(0.6)^{2}(4 - 0.6^{2})$$

$$= \frac{352}{625} \text{ or } 0.5632$$

(b) (1 mark)

Outcomes Assessed: MA12-8

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$f(x) = \frac{d}{dx}F(x)$$

$$= \frac{d}{dx}\frac{1}{3}x^{2}(4-x^{2})$$

$$= \frac{d}{dx}\frac{4}{3}x^{2} - \frac{1}{3}x^{4}$$

$$= \frac{8x}{3} - \frac{4x^{3}}{3} \text{ for } 0 \le x \le 1.$$

DISCLAIMER

(c) (1 mark)

Outcomes Assessed: MA12-8

Targeted Performance Bands:4-5

Γ	Criteria	Marks
	Correct answer	1

Sample answer:

$$f'(x) = \frac{4}{3}(2 - 3x^2) = 0$$

$$Mode = \sqrt{\frac{2}{3}} \approx 0.816496...$$

=0.816(3 decimal places)

Question 29 (4 marks)

Outcomes Assessed: MA12-3, MA12-6

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	4
•	Significant progress with THREE correct steps	3
•	Significant progress with TWO correct steps	2
•	Correctly differentiates the function	1

Sample answer:

$$\frac{dy}{dx} = 3x^2 + 6x - 9$$
$$= 3(x+3)(x-1)$$

Stationary at
$$\frac{dy}{dx} = 0$$
, so $x = -3, 1$.

$$\frac{d^2y}{dx^2} = 6x + 6$$

at
$$x = -3$$
, $\frac{d^2y}{dx^2} = -12$, < 0 so a MAXIMUM at $(-3, 27)$

at
$$x = 1$$
, $\frac{d^2y}{dx^2} = 12$, > 0 so a MINIMUM at $(1,-5)$

Possible point of inflection at $\frac{d^2y}{dx^2} = 0$


So (-1,11) is a point of inflection

х	-2	-1	0
$\frac{d^2y}{dx^2}$	-6	0	6
conc	\cap	*	U

The concavity changes, so it is a point of inflection

DISCLAIMER

Question 29(continued)



Question 30 (2 marks)

Outcomes Assessed: MA12-4

Targeted Performance Bands: 4-5

	Criteria	Marks
•	Correct answer	2
•	Some progress towards the answer	1

Sample answer:

$$\frac{a}{1-r} = 4(a+ar)$$

$$a = 4a(1-r^2)$$

$$\frac{1}{4} = 1-r^2$$

$$r^2 = \frac{3}{4}$$

$$r = \pm \frac{\sqrt{3}}{2}$$

DISCLAIMER

(a) (1 mark)

Outcomes Assessed: MA11-1

Targeted Performance Bands: 4

	Criteria	Marks
•	Correct answer	1

Sample answer:

$$5-x = \frac{2}{x-2}$$
$$(5-x)(x-2) = 2$$
$$x^2 - 7x + 12 = 0$$
$$(x-3)(x-4) = 0$$
$$x = 3.4$$

So, A and B are 3 and 4 respectively

(b) (3 marks)

Outcomes Assessed: MA12-7, MA12-10

Targeted Performance Bands: 4-5

	Criteria	
•	Correct answer	3
•	Significant progress towards the correct answer	2
•	One correct step towards the correct answer	1

Sample answer:

$$\int_{3}^{4} \left(5 - x - \frac{2}{x - 2}\right) = \left[5x - \frac{x^{2}}{2} - 2\ln(x - 2)\right]_{3}^{4}$$
$$= (20 - 8 - 2\ln 2) - \left(15 - \frac{9}{2} - 2\ln 1\right)$$
$$= \frac{3}{2} - 2\ln 2$$

DISCLAIMER

(a) (2 marks)

Outcomes Assessed: MA12-5, MA12-10

Targeted Performance Bands: 4-6

	Criteria	Marks
•	Correct answer	2
•	ERROR in EITHER cosine calculation or difference but otherwise correct.	1
	(Common mistake will be September at t=9.)	1

Sample answer:

Kempsey's historical temp is 24.0. The cosine function predicts $K(8) = 24.6 + 4.6 \cos\left(\frac{8\pi}{6}\right) = 22.3$

Therefore, the difference is 1.7 degrees.

(b) (2 marks)

Outcomes Assessed: MA12-5, MA12-10

Targeted Performance Bands: 5-6

	Criteria	Marks
•	Correct answer	2
•	Correct substitution but subsequent error	1

Sample answer:

$$W(t) = 2(K(t) - 24.6) + 26.6$$

$$= 2\left(24.6 + 4.6\cos\left(\frac{\pi t}{6}\right) - 24.6\right)26.6$$

$$= 26.6 + 9.2\cos\left(\frac{\pi t}{6}\right)$$

(c) (3 marks)

Outcomes Assessed: MA12-5, MA12-10

Targeted Performance Bands: 5-6

	Criteria	Marks
•	Compared both variation and overall temperature, with reference to mathematical reasons	3
•	Compared both but did not give adequate mathematical reasons, or compared one with reference to mathematical reasons	2
•	Compares ONE factor without adequate reasons	1

Sample answer:

Wilcannia has greater variation in maximum temperatures, being colder in winter and hotter in summer. That is reflected in that the cosine curve for Wilcannia has double the magnitude (9.2) compared to the Kempsey curve (4.6).

Wilcannia is also generally hotter than Kempsey, when looking at the year as a whole. This is reflected in that the constant term of the Wilcannia function (26.6) is two degrees higher than the Kempsey function (24.6).

DISCLAIMER


Question 33 (5 marks)

Outcomes Assessed: MA12-1, MA12-6, MA12-10

Targeted Performance Bands: 4-6

	Criteria	
•	Correct answer	5
•	At least FOUR correct steps towards finding the minimum value for x	4
•	At least THREE correct steps towards find a stationary point	3
•	At least TWO correct steps towards forming an expression for time and differentiating	2
•	At least ONE correct step towards forming a correct expression for time	1

Sample answer:



swim =
$$\sqrt{x^2 + 30^2}$$

run = $80 - x$
Speed = $\frac{\text{Distance}}{\text{Time}}$
 $T = \frac{\sqrt{x^2 + 30^2}}{2} + \frac{80 - x}{8}$
= $\frac{\left(x^2 + 900\right)^{\frac{1}{2}}}{2} + \frac{80 - x}{8}$
 $\frac{dT}{dx} = \frac{\frac{1}{2} \times 2x \left(x^2 + 900\right)^{-\frac{1}{2}}}{2} - \frac{1}{8}$
= $\frac{x}{2\sqrt{x^2 + 900}} - \frac{1}{8}$
= $\frac{4x - \sqrt{x^2 + 900}}{8\sqrt{x^2 + 900}}$

DISCLAIMER

stationary when
$$\frac{dT}{dx} = 0$$

$$4x - \sqrt{x^2 + 900} = 0$$

$$\sqrt{x^2 + 900} = 4x$$

$$x^2 + 900 = 16x^2$$

$$15x^2 = 900$$

$$x^2 = 60$$

$$x = 2\sqrt{15}$$

x	7	2√15	8
$\frac{dT}{dx}$	-0.011	0	0.0038
slope			/

So, a MINIMUM when $x = 2\sqrt{15}$

So the distance Kevin runs should be $(80-2\sqrt{15}) \approx 72.254...$

So, Kevin should run approximately 72 m along the shore entering the water.


Question 34 (3 marks)

Outcomes Assessed: MA12-1

Targeted Performance Bands: 4-6

	Criteria	Marks
•	Correct answer, including shape and horizontal point of inflection at $(0,2)$, and endpoint $(1,10)$.	3
•	ONE error, either in horizontal stretch, mistakenly adopting a vertical stretch, or other error	2
•	TWO errors, but otherwise correct features	1

Sample answer:



DISCLAIMER

Question 35 (3 marks)

Outcomes Assessed: MA12-1, MA12-3

Targeted Performance Bands: 5-6

	Criteria	
•	Correct answer	3
•	At least TWO correct steps	2
•	Correctly differentiates the function	1

Sample answer:

Sample unswer:

$$\frac{d}{dx}(x^3 + ax^2 - 1) = 3x^2 + 2ax$$

$$= x(3x + 2a)$$
When $x = 0$, $y = -1(<0)$
When $x = -\frac{2a}{3}$, $y = -\frac{8a^3}{27} + \frac{4a^3}{9} - 1 = \frac{4a^3}{27} - 1$
Solve $\frac{4a^3}{27} - 1 > 0$

$$a^3 > \frac{27}{4}$$

$$a > \frac{3}{\sqrt[3]{4}}$$

Check y'' = 6x + 2a

$$y'' = 0$$
 when $x = \frac{-a}{3}$

So, no stationary points are points of inflection, so there are three distinct intercepts.

CSSA Copyright Notice (2021)

CSSA Trial HSC Examination Papers are subject to copyright law. Individual papers may contain third Party Copyright materials. No CSSA Trial HSC Examination Papers are to be reproduced (photocopied, scanned) or communicated by schools except in accordance with the Copyright Act 1968. CSSA Trial HSC Examination Papers are provided for examination purposes only and should not be made available to students for any other purpose than examination and assessment. CSSA Trial HSC Examination Papers must not be placed on the school intranet, the internet or on any mobile device.

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NSW Board of Studies. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

6100-2

BLANK PAGE

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NSW Board of Studies. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

22

BLANK PAGE

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NSW Board of Studies. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

6100-2

BLANK PAGE

DISCLAIMER

The information contained in this document is intended for the professional assistance of teaching staff. It does not constitute advice to students. Further it is not the intention of CSSA to provide specific marking outcomes for all possible Trial HSC answers. Rather the purpose is to provide teachers with information so that they can better explore, understand and apply HSC marking requirements, as established by the NSW Board of Studies. No guarantee or warranty is made or implied with respect to the application or use of CSSA Marking Guidelines in relation to any specific trial exam question or answer. The CSSA assumes no liability or responsibility for the accuracy, completeness or usefulness of any Marking Guidelines provided for the Trial HSC papers.

24