

## QCE Chemistry Units 1&2

### Paper 1

Student's Name: \_\_\_\_\_

Teacher's Name: \_\_\_\_\_

#### Time allowed

- Perusal time – 10 minutes
- Working time – 90 minutes

#### General instructions

- Answer all questions in this question and response booklet.
- QCAA-approved calculator permitted.
- Formula and data booklet provided.
- Planning paper will not be marked.

#### Section 1 (20 marks)

- 20 multiple choice questions

#### Section 2 (30 marks)

- 7 short response questions

**SECTION 1****Instructions**

- Choose the best answer for Questions 1–20.
- This section has 20 questions and is worth 20 marks.
- Use a 2B pencil to fill in the A, B, C or D answer bubble completely.
- If you change your mind or make a mistake, use an eraser to remove your response and fill in the new answer bubble completely.

	A	B	C	D
Example:	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	A	B	C	D
<b>1.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>2.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>3.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>4.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>5.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>6.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>7.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>8.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>9.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>10.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>11.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>12.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>13.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>14.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>15.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>16.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>17.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>18.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>19.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>20.</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**SECTION 2****Instructions**

- Write using black or blue pen.
- If you need more space for a response, use the additional pages at the back of this booklet.
  - On the additional pages, write the question number you are responding to.
  - Cancel any incorrect response by ruling a single diagonal line through your work.
  - Write the page number of your alternative/additional response, i.e. See page ...
  - If you do not do this, your original response will be marked.
- This section has seven questions and is worth 30 marks.

**QUESTION 21 (2 marks)**

Progesterone is a hormone. Its formula is  $C_{21}H_{30}O_2$ .

Determine the molar mass of  $C_{21}H_{30}O_2$ .

---

---


---

---

Molar mass = \_\_\_\_\_  $g\ mol^{-1}$  (to two decimal places)

**QUESTION 22 (3 marks)**

The graph shows the energy profile for a chemical reaction.



- a) Determine the enthalpy change,  $\Delta H$ , of the reaction. [1 mark]

$\Delta H = \underline{\hspace{10em}} \text{ kJ mol}^{-1}$  (to two significant figures)


- b) Determine the activation energy ( $E_a$ ) of the reaction. [1 mark]

$E_a = \underline{\hspace{10em}} \text{ kJ mol}^{-1}$  (to one significant figure)

- c) On the graph above, sketch the energy profile that shows the addition of a catalyst to the reaction. [1 mark]

**QUESTION 23 (5 marks)**

Consider the list of atoms. The letters A–I are not the atoms' symbols.



- a) Identify the pair of atoms that are isotopes of the same element. Name the element. *[2 marks]*

Pair of atoms: \_\_\_\_\_

Element: \_\_\_\_\_

- b) Identify the atom that is a halogen. Name the element. *[2 marks]*

Atom: \_\_\_\_\_


Element: \_\_\_\_\_

- c) Identify the atom with an electron configuration of  $1s^2 2s^2 p^1$ . *[1 mark]*

\_\_\_\_\_

**QUESTION 24 (4 marks)**

The simplified mass spectrum for the element zirconium (Zr) is shown.



The spectrum was analysed and the relative abundance for each isotope of Zr recorded in the table.

Isotope	Abundance (%)
Zr-90	51.5
Zr-91	11.2
Zr-92	17.1
Zr-94	17.4
Zr-96	2.80

Calculate the relative atomic mass of Zr.

---

---

---

---

---

---

---

---

---

---

Relative atomic mass = \_\_\_\_\_ (to two decimal places)



**QUESTION 26 (4 marks)**

A chemist conducted some tests on substances A–F to determine whether the substances are metallic, ionic or covalent. The chemist recorded their results in the table.

Substance	Melting point (°C)	Boiling point (°C)	Electrical conductor	
			Solid	Liquid
A	848	1727	no	yes
B	1675	3260	yes	yes
C	-25	136	no	no
D	-175	-45.9	no	no
E	2300	2500	no	no
F	1769	3829	yes	yes

- a) Identify the two metallic substances. Explain your reasoning. *[2 marks]*

---

---

---

---

- b) Substances C, D and E do not conduct electricity in solid or liquid states, yet E has extremely high melting and boiling points compared to C and D.

Deduce why compound E has much higher melting and boiling points.

*[2 marks]*

---

---


---

---



**QUESTION 27 (6 marks)**

The equation represents the reaction between iron(III) nitrate and sodium hydroxide.



In an experiment, 20 mL of 0.1 M iron(III) nitrate and 20 mL of 0.1 M sodium hydroxide solutions are reacted.

a) Calculate the mass of the precipitate formed.

[4 marks]

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Mass = \_\_\_\_\_ g (to two decimal places)

b) If only 0.047 g of precipitate is formed, determine the percentage yield.

[2 marks]

---

---

---

---

---

---

---

Percentage yield = \_\_\_\_\_% (to two decimal places)

**END OF PAPER**

**ADDITIONAL PAGE FOR STUDENT RESPONSES**

Write the question number you are responding to.

Lined area for student responses, consisting of 25 horizontal lines.



**ADDITIONAL PAGE FOR STUDENT RESPONSES**

Write the question number you are responding to.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





Trial Examination 2023

---

**Formula and Data Booklet**

# **QCE Chemistry Units 1&2**

---

Neap<sup>®</sup> Education (Neap) Trial Exams are licensed to be photocopied or placed on the school intranet and used only within the confines of the school purchasing them, for the purpose of examining that school's students only for a period of 12 months from the date of receiving them. They may not be otherwise reproduced or distributed. The copyright of Neap Trial Exams remains with Neap. No Neap Trial Exam or any part thereof is to be issued or passed on by any person to any party inclusive of other schools, non-practising teachers, coaching colleges, tutors, parents, students, publishing agencies or websites without the express written consent of Neap.

**FORMULAS****Processing of data**

$$\text{Absolute uncertainty of the mean } \Delta\bar{x} = \pm \frac{(x_{\max} - x_{\min})}{2}$$

$$\text{Percentage uncertainty (\%)} = \frac{\text{absolute uncertainty}}{\text{measurement}} \times \frac{100}{1}$$

$$\text{Percentage error (\%)} = \left| \frac{\text{measured value} - \text{true value}}{\text{true value}} \right| \times 100$$

**Chemical reactions – reactants, products and energy change**

$$\Delta H = H_{(\text{products})} - H_{(\text{reactants})}$$

$$\Delta H = \Sigma(\text{bonds broken}) - \Sigma(\text{bonds formed})$$

$$Q = mc\Delta T$$

$$\text{Percentage yield (\%)} = \frac{\text{experimental yield}}{\text{theoretical yield}} \times \frac{100}{1}$$

$$A_r = \frac{(\text{isotopic mass} \times \% \text{ abundance}) + (\text{isotopic mass} \times \% \text{ abundance})}{100}$$

$$\text{Moles } (n) = \frac{\text{number of particles } (N)}{\text{Avogadro's constant } (N_A)}$$

$$\text{Moles} = \frac{\text{mass of substance } (m)}{\text{molar mass } (M)}$$

**Intermolecular forces and gas**

$$PV = nRT$$

**Aqueous solutions and acidity**

$$\text{Molarity} = \frac{\text{moles of solute } (n)}{\text{volume of solution } (V)}$$

$$c_1V_1 = c_2V_2$$



**PHYSICAL CONSTANTS AND UNIT CONVERSIONS**

Physical constants and unit conversions	
Absolute zero	$0 \text{ K} = -273^\circ\text{C}$
Atomic mass unit	$1 \text{ amu} = 1.66 \times 10^{-27} \text{ kg}$
Avogadro's constant	$N_{\text{A}} = 6.02 \times 10^{23} \text{ mol}^{-1}$
Ideal gas constant	$R = 8.31 \text{ J mol}^{-1} \text{ K}^{-1}$
Molar volume of an ideal gas (at STP)	$2.27 \times 10^{-2} \text{ m}^3 \text{ mol}^{-1} = 22.7 \text{ dm}^3 \text{ mol}^{-1}$
Specific heat capacity of water (at 298 K)	$c_{\text{w}} = 4.18 \text{ J g}^{-1} \text{ K}^{-1}$
Standard temperature and pressure (STP)	273 K and 100 kPa
Volume and capacity conversions	$1 \text{ dm}^3 = 1 \times 10^{-3} \text{ m}^3 = 1 \times 10^3 \text{ cm}^3 = 1 \text{ L}$

**LIST OF ELEMENTS**

Name	Atomic no.	Symbol
Hydrogen	1	H
Helium	2	He
Lithium	3	Li
Beryllium	4	Be
Boron	5	B
Carbon	6	C
Nitrogen	7	N
Oxygen	8	O
Fluorine	9	F
Neon	10	Ne
Sodium	11	Na
Magnesium	12	Mg
Aluminium	13	Al
Silicon	14	Si
Phosphorus	15	P
Sulfur	16	S
Chlorine	17	Cl
Argon	18	Ar
Potassium	19	K
Calcium	20	Ca
Scandium	21	Sc
Titanium	22	Ti
Vanadium	23	V
Chromium	24	Cr
Manganese	25	Mn
Iron	26	Fe
Cobalt	27	Co
Nickel	28	Ni
Copper	29	Cu
Zinc	30	Zn
Gallium	31	Ga
Germanium	32	Ge
Arsenic	33	As
Selenium	34	Se
Bromine	35	Br

Name	Atomic no.	Symbol
Krypton	36	Kr
Rubidium	37	Rb
Strontium	38	Sr
Yttrium	39	Y
Zirconium	40	Zr
Niobium	41	Nb
Molybdenum	42	Mo
Technetium	43	Tc
Ruthenium	44	Ru
Rhodium	45	Rh
Palladium	46	Pd
Silver	47	Ag
Cadmium	48	Cd
Indium	49	In
Tin	50	Sn
Antimony	51	Sb
Tellurium	52	Te
Iodine	53	I
Xenon	54	Xe
Cesium	55	Cs
Barium	56	Ba
Lanthanum	57	La
Cerium	58	Ce
Praseodymium	59	Pr
Neodymium	60	Nd
Promethium	61	Pm
Samarium	62	Sm
Europium	63	Eu
Gadolinium	64	Gd
Terbium	65	Tb
Dysprosium	66	Dy
Holmium	67	Ho
Erbium	68	Er
Thulium	69	Tm
Ytterbium	70	Yb

**LIST OF ELEMENTS (CONTINUED)**

Name	Atomic no.	Symbol
Lutetium	71	Lu
Hafnium	72	Hf
Tantalum	73	Ta
Tungsten	74	W
Rhenium	75	Re
Osmium	76	Os
Iridium	77	Ir
Platinum	78	Pt
Gold	79	Au
Mercury	80	Hg
Thallium	81	Tl
Lead	82	Pb
Bismuth	83	Bi
Polonium	84	Po
Astatine	85	At
Radon	86	Rn
Francium	87	Fr
Radium	88	Ra
Actinium	89	Ac
Thorium	90	Th
Protactinium	91	Pa
Uranium	92	U
Neptunium	93	Np
Plutonium	94	Pu

Name	Atomic no.	Symbol
Americium	95	Am
Curium	96	Cm
Berkelium	97	Bk
Californium	98	Cf
Einsteinium	99	Es
Fermium	100	Fm
Mendelevium	101	Md
Nobelium	102	No
Lawrencium	103	Lr
Rutherfordium	104	Rf
Dubnium	105	Db
Seaborgium	106	Sg
Bohrium	107	Bh
Hassium	108	Hs
Meitnerium	109	Mt
Darmstadtium	110	Ds
Roentgenium	111	Rg
Copernicium	112	Cn
Nihonium	113	Nh
Flerovium	114	Fl
Moscovium	115	Mc
Livermorium	116	Lv
Tennessine	117	Ts
Oganesson	118	Og

**PERIODIC TABLE OF THE ELEMENTS**

		KEY																																																											
		1 atomic number																																																											
		2 symbol																																																											
		3 relative atomic mass*																																																											
1	1	<b>H</b>	1.01														2	<b>He</b>	4.00																																										
	3	<b>Li</b>	6.94	4	<b>Be</b>	9.01											8	<b>O</b>	16.00	9	<b>F</b>	19.00	10	<b>Ne</b>	20.18																																				
	11	<b>Na</b>	22.99	12	<b>Mg</b>	24.31											14	<b>C</b>	12.01	15	<b>N</b>	14.01	16	<b>S</b>	32.06	17	<b>Cl</b>	35.45	18	<b>Ar</b>	39.95																														
	19	<b>K</b>	39.10	20	<b>Ca</b>	40.08	21	<b>Sc</b>	44.96	22	<b>Ti</b>	47.87	23	<b>V</b>	50.94	24	<b>Cr</b>	52.00	25	<b>Mn</b>	54.94	26	<b>Fe</b>	55.85	27	<b>Co</b>	58.93	28	<b>Ni</b>	58.69	29	<b>Cu</b>	63.55	30	<b>Zn</b>	65.38	31	<b>Ga</b>	69.72	32	<b>Ge</b>	72.63	33	<b>As</b>	74.92	34	<b>Se</b>	78.97	35	<b>Br</b>	79.90	36	<b>Kr</b>	83.80							
	37	<b>Rb</b>	85.47	38	<b>Sr</b>	87.62	39	<b>Y</b>	88.91	40	<b>Zr</b>	91.22	41	<b>Nb</b>	92.91	42	<b>Mo</b>	95.95	43	<b>Tc</b>	(98.91)	44	<b>Ru</b>	101.07	45	<b>Rh</b>	102.91	46	<b>Pd</b>	106.42	47	<b>Ag</b>	107.87	48	<b>Cd</b>	112.41	49	<b>In</b>	114.82	50	<b>Sn</b>	118.71	51	<b>Sb</b>	121.76	52	<b>Te</b>	127.60	53	<b>I</b>	126.90	54	<b>Xe</b>	131.29							
	55	<b>Cs</b>	132.91	56	<b>Ba</b>	137.33	57-71	Lanthanoids					72	<b>Hf</b>	178.49	73	<b>Ta</b>	180.95	74	<b>W</b>	183.84	75	<b>Re</b>	186.21	76	<b>Os</b>	190.23	77	<b>Ir</b>	192.22	78	<b>Pt</b>	195.08	79	<b>Au</b>	196.97	80	<b>Hg</b>	200.59	81	<b>Tl</b>	204.38	82	<b>Pb</b>	207.2	83	<b>Bi</b>	208.98	84	<b>Po</b>	(210.0)	85	<b>At</b>	(210.0)	86	<b>Rn</b>	(222.0)				
	87	<b>Fr</b>	(223.0)	88	<b>Ra</b>	(226.1)	89-103	Actinoids					104	<b>Rf</b>	(261.1)	105	<b>Db</b>	(262.1)	106	<b>Sg</b>	(263.1)	107	<b>Bh</b>	(264.1)	108	<b>Hs</b>	(265.1)	109	<b>Mt</b>	(268)	110	<b>Ds</b>	(281)	111	<b>Rg</b>	(272)	112	<b>Cn</b>	(285)	113	<b>Nh</b>	(284)	114	<b>Fl</b>	(289)	115	<b>Mc</b>	(288)	116	<b>Lv</b>	(293)	117	<b>Ts</b>	(294)	118	<b>Og</b>	(294)				
	Lanthanoids																57	<b>La</b>	138.91	58	<b>Ce</b>	140.12	59	<b>Pr</b>	140.91	60	<b>Nd</b>	144.24	61	<b>Pm</b>	(146.9)	62	<b>Sm</b>	150.36	63	<b>Eu</b>	151.96	64	<b>Gd</b>	157.25	65	<b>Dy</b>	162.50	66	<b>Ho</b>	164.93	67	<b>Er</b>	167.26	68	<b>Tm</b>	168.93	69	<b>Yb</b>	173.05	70	<b>Lu</b>	174.97			
	Actinoids																89	<b>Ac</b>	(227.0)	90	<b>Th</b>	232.0	91	<b>Pa</b>	231.0	92	<b>U</b>	238.0	93	<b>Np</b>	(237.0)	94	<b>Pu</b>	(239.1)	95	<b>Am</b>	(241.1)	96	<b>Cm</b>	(244.1)	97	<b>Bk</b>	(249.1)	98	<b>Cf</b>	(252.1)	99	<b>Es</b>	(252.1)	100	<b>Fm</b>	(252.1)	101	<b>Md</b>	(258.1)	102	<b>No</b>	(259.1)	103	<b>Lr</b>	(262.1)

Groups are numbered according to IUPAC convention 1-18.  
 \*Values in brackets are for the isotope with the longest half-life.

		ATOMIC AND IONIC RADII OF SELECTED ELEMENTS																	
		KEY																	
		ionic radius ( $10^{-12}$ m)									atomic number symbol atomic radius ( $10^{-12}$ m) charge of ion								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
<b>1</b> <b>H</b> 32 208 (1-)		<b>3</b> <b>Li</b> 130 76 (1+)	<b>4</b> <b>Be</b> 99 45 (2+)		<b>23</b> <b>V</b> 144 79 (2+) 54 (5+)	<b>24</b> <b>Cr</b> 130 62 (3+) 44 (6+)	<b>25</b> <b>Mn</b> 129 83 (2+) 64 (3+)	<b>26</b> <b>Fe</b> 124 78 (2+) 64 (3+)	<b>27</b> <b>Co</b> 118 74 (2+) 61 (3+)	<b>28</b> <b>Ni</b> 117 69 (2+) 60 (3+)	<b>29</b> <b>Cu</b> 122 77 (1+) 73 (2+)	<b>30</b> <b>Zn</b> 120 74 (2+)	<b>31</b> <b>Ga</b> 123 62 (3+)	<b>32</b> <b>Ge</b> 120 53 (4+) 272 (4-)	<b>33</b> <b>As</b> 120 58 (3+) 46 (5+)	<b>34</b> <b>Se</b> 118 188 (2-)	<b>35</b> <b>Br</b> 117 196 (1-)	<b>36</b> <b>Kr</b> 116	
<b>11</b> <b>Na</b> 160 102 (1+)	<b>12</b> <b>Mg</b> 140 72 (2+)		<b>21</b> <b>Sc</b> 159 75 (3+)	<b>22</b> <b>Ti</b> 148 86 (2+) 61 (4+)	<b>41</b> <b>Nb</b> 156 64 (5+)	<b>42</b> <b>Mo</b> 148 65 (4+)	<b>43</b> <b>Tc</b> 138 65 (4+)	<b>44</b> <b>Ru</b> 136 62 (4+)	<b>45</b> <b>Rh</b> 134 67 (3+)	<b>46</b> <b>Pd</b> 130 86 (2+)	<b>47</b> <b>Ag</b> 136 115 (1+)	<b>48</b> <b>Cd</b> 140 95 (2+)	<b>49</b> <b>In</b> 142 80 (3+)	<b>50</b> <b>Sn</b> 140 69 (4+)	<b>51</b> <b>Sb</b> 140 76 (3+)	<b>52</b> <b>Te</b> 137 221 (2-)	<b>53</b> <b>I</b> 136 220 (1-)	<b>54</b> <b>Xe</b> 136	
<b>19</b> <b>K</b> 200 138 (1+)	<b>20</b> <b>Ca</b> 174 100 (2+)	<b>37</b> <b>Rb</b> 215 152 (1+)	<b>38</b> <b>Sr</b> 190 118 (2+)																
<b>55</b> <b>Cs</b> 238 167 (1+)	<b>56</b> <b>Ba</b> 206 135 (2+)																		

Groups are numbered according to IUPAC convention 1–18.

**ELECTRONEGATIVITIES AND FIRST IONISATION ENERGIES OF SELECTED ELEMENTS**

1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18						
<b>1</b> <b>H</b> 2.2 1318	<b>3</b> <b>Li</b> 1.0 526	<b>4</b> <b>Be</b> 1.6 906	<b>11</b> <b>Na</b> 0.9 502	<b>12</b> <b>Mg</b> 1.3 744	<b>19</b> <b>K</b> 0.8 425	<b>20</b> <b>Ca</b> 1.0 596	<b>21</b> <b>Sc</b> 1.4 637	<b>22</b> <b>Ti</b> 1.5 664	<b>23</b> <b>V</b> 1.6 656	<b>24</b> <b>Cr</b> 1.7 659	<b>25</b> <b>Mn</b> 1.6 724	<b>26</b> <b>Fe</b> 1.8 766	<b>27</b> <b>Co</b> 1.9 765	<b>28</b> <b>Ni</b> 1.9 743	<b>29</b> <b>Cu</b> 1.9 752	<b>30</b> <b>Zn</b> 1.7 913	<b>31</b> <b>Ga</b> 1.8 585	<b>32</b> <b>Ge</b> 2.0 768	<b>33</b> <b>As</b> 2.2 953	<b>34</b> <b>Se</b> 2.6 947	<b>35</b> <b>Br</b> 3.0 1146	<b>36</b> <b>Kr</b> 2.9 1357	<b>37</b> <b>Rb</b> 0.8 409	<b>38</b> <b>Sr</b> 1.0 556	<b>39</b> <b>Y</b> 1.2 606	<b>40</b> <b>Zr</b> 1.3 666	<b>41</b> <b>Nb</b> 1.6 670	<b>42</b> <b>Mo</b> 2.2 691	<b>43</b> <b>Tc</b> 1.9 708	<b>44</b> <b>Ru</b> 2.2 717	<b>45</b> <b>Rh</b> 2.3 726	<b>46</b> <b>Pd</b> 2.2 811	<b>47</b> <b>Ag</b> 1.9 737	<b>48</b> <b>Cd</b> 1.7 874	<b>49</b> <b>In</b> 1.8 565	<b>50</b> <b>Sn</b> 2.0 715	<b>51</b> <b>Sb</b> 2.1 840	<b>52</b> <b>Te</b> 2.1 876	<b>53</b> <b>I</b> 2.7 1015	<b>54</b> <b>Xe</b> 2.6 1177

KEY

<b>1</b>	atomic number
<b>H</b>	symbol
2.2	electronegativity
1318	first ionisation enthalpies (kJ mol <sup>-1</sup> )

Groups are numbered according to IUPAC convention 1–18.

**SOLUBILITY OF SELECTED COMPOUNDS AT 298 K**

	bromide	carbonate	chloride	hydroxide	iodide	nitrate	oxide	phosphate	sulfate
<b>aluminium</b>	s	–	s	i	s	s	i	i	s
<b>ammonium</b>	s	s	s	s	s	s	–	s	s
<b>barium</b>	s	i	s	s	s	s	s	i	i
<b>calcium</b>	s	i	s	p	s	s	p	i	p
<b>cobalt(II)</b>	s	i	s	i	s	s	i	i	s
<b>copper(II)</b>	s	–	s	i	i	s	i	i	s
<b>iron(II)</b>	s	i	s	i	s	s	i	i	s
<b>iron(III)</b>	s	–	s	i	s	s	i	i	s
<b>lead(II)</b>	p	i	s	i	i	s	i	i	i
<b>lithium</b>	s	s	s	s	s	s	s	–	s
<b>magnesium</b>	s	i	s	i	s	s	i	p	s
<b>manganese(II)</b>	s	i	s	i	s	s	i	p	s
<b>potassium</b>	s	s	s	s	s	s	s	s	s
<b>silver</b>	i	i	i	i	i	s	i	i	p
<b>sodium</b>	s	s	s	s	s	s	s	s	s
<b>zinc</b>	s	i	s	i	s	s	i	i	s

**Key**

Abbreviation	Explanation
s	soluble in water (solubility greater than 10 g L <sup>-1</sup> )
p	partially soluble in water (solubility between 1 and 10 g L <sup>-1</sup> )
i	insoluble in water (solubility less than 1 g L <sup>-1</sup> )
–	no data

**AVERAGE BOND ENTHALPIES AT 298 K****Single bonds**


	$\Delta H$ (kJ mol <sup>-1</sup> )								
	H	C	N	O	F	S	Cl	Br	I
H	436								
C	414	346							
N	391	286	158						
O	463	358	214	144					
F	567	492	278	191	159				
S	364	289			327	266			
Cl	431	324	192	206	255	271	242		
Br	366	285		201	249	218	219	193	
I	298	228		201	280		211	178	151

**Multiple bonds**

Bond	$\Delta H$ (kJ mol <sup>-1</sup> )
C=C	614
C≡C	839
C=N	615
C≡N	890
C=O	804
N=N	470
N≡N	945
O=O	498



**REACTIVITY SERIES OF METALS**

Element	Reactivity
K	 <p>most reactive</p>
Na	
Li	
Ba	
Sr	
Ca	
Mg	
Al	
C*	
Mn	
Zn	
Cr	
Fe	
Cd	
Co	
Ni	
Sn	
Pb	
H <sub>2</sub> *	
Sb	
Bi	
Cu	
Hg	
Ag	
Au	
Pt	least reactive

\* Carbon (C) and hydrogen gas (H<sub>2</sub>) added for comparison

**ACID-BASE INDICATORS**

Name	$pK_a$	pH range of colour change	Colour change (acidic to basic)
Methyl orange	3.7	3.1–4.4	red to yellow
Bromophenol blue	4.2	3.0–4.6	yellow to blue
Bromocresol green	4.7	3.8–5.4	yellow to blue
Methyl red	5.1	4.4–6.2	pink to yellow
Bromothymol blue	7.0	6.0–7.6	yellow to blue
Phenol red	7.9	6.8–8.4	yellow to red
Phenolphthalein	9.6	8.3–10.0	colourless to pink

**FORMULAS AND CHARGES FOR COMMON POLYATOMIC IONS**

Anions		Cations	
acetate (ethanoate)	$\text{CH}_3\text{COO}^-$ or $\text{C}_2\text{H}_3\text{O}_2^-$	ammonium	$\text{NH}_4^+$
carbonate	$\text{CO}_3^{2-}$	hydronium	$\text{H}_3\text{O}^+$
chlorate	$\text{ClO}_3^-$		
chlorite	$\text{ClO}_2^-$		
chromate	$\text{CrO}_4^{2-}$		
citrate	$\text{C}_6\text{H}_5\text{O}_7^{3-}$		
cyanide	$\text{CN}^-$		
dichromate	$\text{Cr}_2\text{O}_7^{2-}$		
dihydrogen phosphate	$\text{H}_2\text{PO}_4^-$		
hypochlorite	$\text{ClO}^-$		
hydrogen carbonate	$\text{HCO}_3^-$		
hydrogen sulfate	$\text{HSO}_4^-$		
hydrogen phosphate	$\text{HPO}_4^{2-}$		
hydroxide	$\text{OH}^-$		
nitrate	$\text{NO}_3^-$		
nitrite	$\text{NO}_2^-$		
perchlorate	$\text{ClO}_4^-$		
permanganate	$\text{MnO}_4^-$		
peroxide	$\text{O}_2^{2-}$		
phosphate	$\text{PO}_4^{3-}$		
sulfate	$\text{SO}_4^{2-}$		
sulfite	$\text{SO}_3^{2-}$		
thiosulfate	$\text{S}_2\text{O}_3^{2-}$		

## REFERENCES

Aylward, G and Findlay, T 2008, *SI Chemical Data*, 5th ed, John Wiley & Sons, Brisbane.

Haynes, WM (ed) 2016, *CRC Handbook of Chemistry and Physics*, 97th ed, CRC Press, Boca Raton, US.