CHEMISTRY

Written examination 2

DATA BOOK

Directions to students

This data book is provided as a reference.
Make sure that you remove this data book from the question and answer book during reading time.
Any writings, jottings, notes or drawings made on this data book will **not** be considered in the marking.
At the end of the examination, ensure that you do **not** leave the data book in the question and answer book.
You may keep this data book.

Table of contents

1. Periodic table of the elements

1 **H** 1.0 Hydrogen																	**2** **He** 4.0 Helium
3 **Li** 6.9 Lithium	**4** **Be** 9.0 Beryllium											**5** **B** 10.8 Boron	**6** **C** 12.0 Carbon	**7** **N** 14.0 Nitrogen	**8** **O** 16.0 Oxygen	**9** **F** 19.0 Fluorine	**10** **Ne** 20.1 Neon
11 **Na** 23.0 Sodium	**12** **Mg** 24.3 Magnesium											**13** **Al** 27.0 Aluminium	**14** **Si** 28.1 Silicon	**15** **P** 31.0 Phosphorus	**16** **S** 32.1 Sulfur	**17** **Cl** 35.5 Chlorine	**18** **Ar** 39.9 Argon
19 **K** 39.1 Potassium	**20** **Ca** 40.1 Calcium	**21** **Sc** 44.9 Scandium	**22** **Ti** 47.9 Titanium	**23** **V** 50.9 Vanadium	**24** **Cr** 52.0 Chromium	**25** **Mn** 54.9 Manganese	**26** **Fe** 55.9 Iron	**27** **Co** 58.9 Cobalt	**28** **Ni** 58.7 Nickel	**29** **Cu** 63.6 Copper	**30** **Zn** 65.4 Zinc	**31** **Ga** 69.7 Gallium	**32** **Ge** 72.6 Germanium	**33** **As** 74.9 Arsenic	**34** **Se** 79.0 Selenium	**35** **Br** 79.9 Bromine	**36** **Kr** 83.8 Krypton
37 **Rb** 85.5 Rubidium	**38** **Sr** 87.6 Strontium	**39** **Y** 88.9 Yttrium	**40** **Zr** 91.2 Zirconium	**41** **Nb** 92.9 Niobium	**42** **Mo** 95.9 Molybdenum	**43** **Tc** 98.1 Technetium	**44** **Ru** 101.1 Ruthenium	**45** **Rh** 102.9 Rhodium	**46** **Pd** 106.4 Palladium	**47** **Ag** 107.9 Silver	**48** **Cd** 112.4 Cadmium	**49** **In** 114.8 Indium	**50** **Sn** 118.7 Tin	**51** **Sb** 121.8 Antimony	**52** **Te** 127.6 Tellurium	**53** **I** 126.9 Iodine	**54** **Xe** 131.3 Xenon
55 **Cs** 132.9 Caesium	**56** **Ba** 137.3 Barium	**57** **La** 138.9 Lanthanum	**72** **Hf** 178.5 Hafnium	**73** **Ta** 180.9 Tantalum	**74** **W** 183.8 Tungsten	**75** **Re** 186.2 Rhenium	**76** **Os** 190.2 Osmium	**77** **Ir** 192.2 Iridium	**78** **Pt** 195.1 Platinum	**79** **Au** 197.0 Gold	**80** **Hg** 200.6 Mercury	**81** **Tl** 204.4 Thallium	**82** **Pb** 207.2 Lead	**83** **Bi** 209.0 Bismuth	**84** **Po** (209) Polonium	**85** **At** (210) Astatine	**86** **Rn** (222) Radon
87 **Fr** (223) Francium	**88** **Ra** (226) Radium	**89** **Ac** (227) Actinium	**104** **Rf** (261) Rutherfordium	**105** **Db** (262) Dubnium	**106** **Sg** (266) Seaborgium	**107** **Bh** (264) Bohrium	**108** **Hs** (277) Hassium	**109** **Mt** (268) Meitnerium	**110** **Ds** (271) Darmstadtium	**111** **Rg** (272) Roentgenium	**112** **Uub**		**114** **Uuq**		**116** **Uuh**		**118** **Uuo**

atomic number **79** — symbol of element **Au**
relative atomic mass 197.0 — name of element Gold

58 **Ce** 140.1 Cerium	**59** **Pr** 140.9 Praseodymium	**60** **Nd** 144.2 Neodymium	**61** **Pm** (145) Promethium	**62** **Sm** 150.3 Samarium	**63** **Eu** 152.0 Europium	**64** **Gd** 157.2 Gadolinium	**65** **Tb** 158.9 Terbium	**66** **Dy** 162.5 Dysprosium	**67** **Ho** 164.9 Holmium	**68** **Er** 167.3 Erbium	**69** **Tm** 168.9 Thulium	**70** **Yb** 173.0 Ytterbium	**71** **Lu** 175.0 Lutetium

90 **Th** 232.0 Thorium	**91** **Pa** 231.0 Protactinium	**92** **U** 238.0 Uranium	**93** **Np** (237.1) Neptunium	**94** **Pu** (244) Plutonium	**95** **Am** (243) Americium	**96** **Cm** (247) Curium	**97** **Bk** (247) Berkelium	**98** **Cf** (251) Californium	**99** **Es** (252) Einsteinium	**100** **Fm** (257) Fermium	**101** **Md** (258) Mendelevium	**102** **No** (259) Nobelium	**103** **Lr** (262) Lawrencium

TURN OVER

2. The electrochemical series

	$E°$ in volt
$F_2(g) + 2e^- \rightleftharpoons 2F^-(aq)$	+2.87
$H_2O_2(aq) + 2H^+(aq) + 2e^- \rightleftharpoons 2H_2O(l)$	+1.77
$Au^+(aq) + e^- \rightleftharpoons Au(s)$	+1.68
$Cl_2(g) + 2e^- \rightleftharpoons 2Cl^-(aq)$	+1.36
$O_2(g) + 4H^+(aq) + 4e^- \rightleftharpoons 2H_2O(1)$	+1.23
$Br_2(l) + 2e^- \rightleftharpoons 2Br^-(aq)$	+1.09
$Ag^+(aq) + e^- \rightleftharpoons Ag(s)$	+0.80
$Fe^{3+}(aq) + e^- \rightleftharpoons Fe^{2+}(aq)$	+0.77
$O_2(g) + 2H^+(aq) + 2e^- \rightleftharpoons H_2O_2(aq)$	+0.68
$I_2(s) + 2e^- \rightleftharpoons 2I^-(aq)$	+0.54
$O_2(g) + 2H_2O(l) + 4e^- \rightleftharpoons 4OH^-(aq)$	+0.40
$Cu^{2+}(aq) + 2e^- \rightleftharpoons Cu(s)$	+0.34
$Sn^{4+}(aq) + 2e^- \rightleftharpoons Sn^{2+}(aq)$	+0.15
$S(s) + 2H^+(aq) + 2e^- \rightleftharpoons H_2S(g)$	+0.14
$2H^+(aq) + 2e^- \rightleftharpoons H_2(g)$	0.00
$Pb^{2+}(aq) + 2e^- \rightleftharpoons Pb(s)$	–0.13
$Sn^{2+}(aq) + 2e^- \rightleftharpoons Sn(s)$	–0.14
$Ni^{2+}(aq) + 2e^- \rightleftharpoons Ni(s)$	–0.23
$Co^{2+}(aq) + 2e^- \rightleftharpoons Co(s)$	–0.28
$Fe^{2+}(aq) + 2e^- \rightleftharpoons Fe(s)$	–0.44
$Zn^{2+}(aq) + 2e^- \rightleftharpoons Zn(s)$	–0.76
$2H_2O(l) + 2e^- \rightleftharpoons H_2(g) + 2OH^-(aq)$	–0.83
$Mn^{2+}(aq) + 2e^- \rightleftharpoons Mn(s)$	–1.03
$Al^{3+}(aq) + 3e^- \rightleftharpoons Al(s)$	–1.67
$Mg^{2+}(aq) + 2e^- \rightleftharpoons Mg(s)$	–2.34
$Na^+(aq) + e^- \rightleftharpoons Na(s)$	–2.71
$Ca^{2+}(aq) + 2e^- \rightleftharpoons Ca(s)$	–2.87
$K^+(aq) + e^- \rightleftharpoons K(s)$	–2.93
$Li^+(aq) + e^- \rightleftharpoons Li(s)$	–3.02

3. Physical constants

Avogadro's constant (N_A) $= 6.02 \times 10^{23}$ mol^{-1}

Charge on one electron $= -1.60 \times 10^{-19}$ C

Faraday constant (F) $= 96\,500$ C mol^{-1}

Gas constant (R) $= 8.31$ J K^{-1}mol^{-1}

Ionic product for water (K_w) $= 1.00 \times 10^{-14}$ mol^2 L^{-2} at 298 K
(Self ionisation constant)

Molar volume (V_m) of an ideal gas at 273 K, 101.3 kPa (STP) $= 22.4$ L mol^{-1}
Molar volume (V_m) of an ideal gas at 298 K, 101.3 kPa (SLC) $= 24.5$ L mol^{-1}

Specific heat capacity (c) of water $= 4.18$ J g^{-1} K^{-1}
Density (d) of water at 25°C $= 1.00$ g mL^{-1}

1 atm $= 101.3$ kPa $= 760$ mm Hg
0°C $= 273$ K

4. SI prefixes, their symbols and values

SI prefix	Symbol	Value
giga	G	10^9
mega	M	10^6
kilo	k	10^3
deci	d	10^{-1}
centi	c	10^{-2}
milli	m	10^{-3}
micro	μ	10^{-6}
nano	n	10^{-9}
pico	p	10^{-12}

5. ^{1}H NMR data

Typical proton shift values relative to TMS = 0

These can differ slightly in different solvents. Where more than one proton environment is shown in the formula, the shift refers to the ones in bold letters.

Type of proton	Chemical shift (ppm)
R–CH_3	0.9
R–CH_2–R	1.3
RCH = CH–C**H$_3$**	1.7
R_3–CH	2.0
 or 	2.0

Type of proton	Chemical shift (ppm)
	2.1
R–CH_2–X (X = F, Cl, Br or I)	3–4
R–C**H_2**–OH	3.6
	3.2
R—O—CH_3 or R—O—CH_2R	3.3
	4.1
	4.1
R–O–H	1–6 (varies considerably under different conditions)
R–NH_2	1–5
RHC═C**H_2**	4.6–6.0
	7.0
	7.3
	8.1
	9–10
	11.5

6. ^{13}C NMR data

Type of carbon	Chemical shift (ppm)
$R–CH_3$	8–25
$R–CH_2–R$	20–45
$R_3–CH$	40–60
$R_4–C$	36–45
$R–CH_2–X$	15–80
$RC–NH_2$	35–70
$R–CH_2–OH$	50–90
RC≡CR	75–95
RC=CR	110–150
RCOOH	160–185

7. Infrared absorption data

Characteristic range for infrared absorption

Bond	Wave number (cm^{-1})
C–Cl	700–800
C–C	750–1100
C–O	1000–1300
C=C	1610–1680
C=O	1670–1750
O–H (acids)	2500–3300
C–H	2850–3300
O–H (alcohols)	3200–3550
N–H (primary amines)	3350–3500

8. 2-amino acids (*α*-amino acids)

Name	Symbol	Structure
alanine	Ala	
arginine	Arg	
asparagine	Asn	
aspartic acid	Asp	
cysteine	Cys	
glutamine	Gli	
glutamic acid	Glu	
glycine	Gly	
histidine	His	
isoleucine	Ile	

Name	Symbol	Structure
leucine	Leu	
lysine	Lys	
methionine	Met	
phenylalanine	Phe	
proline	Pro	
serine	Ser	
threonine	Thr	
tryptophan	Trp	
tyrosine	Tyr	
valine	Val	

9. Formulas of some fatty acids

Name	Formula
Lauric	$C_{11}H_{23}COOH$
Myristic	$C_{13}H_{27}COOH$
Palmitic	$C_{15}H_{31}COOH$
Palmitoleic	$C_{15}H_{29}COOH$
Stearic	$C_{17}H_{35}COOH$
Oleic	$C_{17}H_{33}COOH$
Linoleic	$C_{17}H_{31}COOH$
Linolenic	$C_{17}H_{29}COOH$
Arachidic	$C_{19}H_{39}COOH$
Arachidonic	$C_{19}H_{31}COOH$

10. Structural formulas of some important biomolecules



sucrose



glycerol



deoxyribose



adenine



guanine



cytosine



thymine



phosphate

11. Acid-base indicators

Name	pH range	Colour change		K_a
		Acid	Base	
Thymol blue	1.2–2.8	red	yellow	2×10^{-2}
Methyl orange	3.1–4.4	red	yellow	2×10^{-4}
Bromophenol blue	3.0–4.6	yellow	blue	6×10^{-5}
Methyl red	4.2–6.3	red	yellow	8×10^{-6}
Bromothymol blue	6.0–7.6	yellow	blue	1×10^{-7}
Phenol red	6.8–8.4	yellow	red	1×10^{-8}
Phenolphthalein	8.3–10.0	colourless	red	5×10^{-10}

12. Acidity constants, K_a, of some weak acids

Name	Formula	K_a
Ammonium ion	NH_4^+	5.6×10^{-10}
Benzoic	C_6H_5COOH	6.4×10^{-5}
Boric	H_3BO_3	5.8×10^{-10}
Ethanoic	CH_3COOH	1.7×10^{-5}
Hydrocyanic	HCN	6.3×10^{-10}
Hydrofluoric	HF	7.6×10^{-4}
Hypobromous	HOBr	2.4×10^{-9}
Hypochlorous	HOCl	2.9×10^{-8}
Lactic	$HC_3H_5O_3$	1.4×10^{-4}
Methanoic	HCOOH	1.8×10^{-4}
Nitrous	HNO_2	7.2×10^{-4}
Propanoic	C_2H_5COOH	1.3×10^{-5}

13. Values of molar enthalpy of combustions of some common fuels at 298 K and 101.3 kPa

Substance	Formula	State	ΔH_c (kJ mol^{-1})
hydrogen	H_2	g	–286
carbon(graphite)	C	s	–394
methane	CH_4	g	–889
ethane	C_2H_6	g	–1557
propane	C_3H_8	g	–2217
butane	C_4H_{10}	g	–2874
pentane	C_5H_{12}	l	–3509
hexane	C_6H_{14}	l	–4158
octane	C_8H_{18}	l	–5464
ethene	C_2H_4	g	–1409
methanol	CH_3OH	l	–725
ethanol	C_2H_5OH	l	–1364
1-propanol	$CH_3CH_2CH_2OH$	l	–2016
2-propanol	$CH_3CHOHCH_3$	l	–2003
glucose	$C_6H_{12}O_6$	s	–2816

END OF DATA BOOK