Year 2004

VCE

Mathematical Methods

Trial Examination 1



KILBAHA MULTIMEDIA PUBLISHING	TEL: (03) 9817 5374
PO BOX 2227	FAX: (03) 9817 4334
KEW VIC 3101	chemas@chemas.com
AUSTRALIA	www.chemas.com

© Kilbaha Pty Ltd 2004 ABN 47 065 111 373

IMPORTANT COPYRIGHT NOTICE

- This material is copyright. Subject to statutory exception and to the provisions of the relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Kilbaha Pty Ltd.
- The contents of this work are copyrighted. Unauthorised copying of any part of this work is illegal and detrimental to the interests of the author.
- For authorised copying within Australia please check that your institution has a licence from Copyright Agency Limited. This permits the copying of small parts of the material, in limited quantities, within the conditions set out in the licence.
- Teachers and students are reminded that for the purposes of school requirements and external assessments, students must submit work that is clearly their own.
- Schools which purchase a licence to use this material may distribute this electronic file to the students at the school for their exclusive use. This distribution can be done either on an Intranet Server or on media for the use on stand-alone computers.
- Schools which purchase a licence to use this material may distribute this printed file to the students at the school for their exclusive use.
- The Word file (if supplied) is for use ONLY within the school
- It may be modified to suit the school syllabus and for teaching purposes.
- All modified versions of the file must carry this copyright notice
- Commercial used of this material is expressly prohibited

VICTORIAN CERTIFICATE OF EDUCATION 2004

MATHEMATICAL METHODS

Trial Written Examination 1 (Facts, skills and applications)

Reading time: 15 minutes Total writing time: 1 hour 30 minutes

PART I

MULTIPLE-CHOICE QUESTION BOOK

This examination has two parts: Part I (multiple-choice questions) and Part II (short-answer questions). Part I consists of this question book and must be answered on the answer sheet provided for multiple-choice questions. Part II consists of a separate question and answer book. You must complete both parts in the time allotted. When you have completed one part continue immediately to the other part.

© KILBAHA PTY LTD 2004

Structure of book

Number of	Number of questions	Number
questions	to be answered	of marks
27	27	27

- Students are permitted to bring into the examination room: pens, pencils, highlighters, erasers, sharpeners, rulers, a protractor, set-squares, aids for curve sketching, up to four pages (two A4 sheets) of pre-written notes (typed or handwritten) and an approved scientific and/or graphics calculator (memory may be retained).
- Students are NOT permitted to bring into the examination room: blank sheets of paper and/or white out liquid/tape.

Materials supplied

- Question book of 19 pages, with a detachable sheet of miscellaneous formulas
- Answer sheet for multiple-choice questions.

Instructions

- Detach the formula sheet during reading time.
- Check that your name and student number as printed on your answer sheet for multiple-choice questions are correct, and sign your name in the space provided to verify this.
- Unless otherwise indicated, the diagrams in this book are not drawn to scale.

At the end of the examination

- Place the answer sheet for multiple-choice questions (Part I) inside the front cover of the question and answer book (Part II).
- You may retain this question book.

Students are NOT permitted to bring mobile phones and/or any other electronic communication devices into the examination room.


© KILBAHA PTY LTD 2004

VCE MATHEMATICAL METHODS 2004 Trial Written Examination 1 ANSWER SHEET

NAME:			
~			
STUDENT			
NUMBER			
SIGNATURE			

Instructions

- Write your name in the space provided above.
- Write your student number in the space provided above. Sign your name.
- Use a **PENCIL** for **ALL** entries. If you make a mistake, **ERASE** it - **DO NOT** cross it out.
- Marks will **NOT** be deducted for incorrect answers.
- NO MARK will be given if more than ONE answer is completed for any question.
- All answers must be completed like THIS example.



1	А	В	С	D	E	15	Α	В	С	D	E
2	А	В	С	D	Е	16	А	В	С	D	E
3	А	В	С	D	E	17	Α	В	С	D	Е
4	А	В	С	D	Е	18	А	В	С	D	Е
5	А	В	С	D	E	19	Α	В	С	D	Е
6	А	В	С	D	Е	20	Α	В	С	D	Е
7	А	В	С	D	E	21	Α	В	С	D	Е
8	А	В	С	D	Е	22	Α	В	С	D	Е
9	А	В	С	D	Е	23	А	В	С	D	Е
10	А	В	С	D	Е	24	Α	В	С	D	Е
11	А	В	С	D	Е	25	Α	В	С	D	Е
12	А	В	С	D	Е	26	Α	В	С	D	Е
13	Α	В	С	D	Е	27	А	В	С	D	Е
14	Α	В	С	D	Е						

Please DO NOT fold, bend or staple this form

MATHEMATICAL METHODS

Written examinations 1 and 2

FORMULA SHEET

Directions to students

Detach this formula sheet during reading time.

This formula sheet is provided for your reference.

MATH METH

Table 1 Normal distribution – cdf

x	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359	4	8	12	16	20	24	28	32	:
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753	4	8	12	16	20	24	28	32	;
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141	4	8	12	15	19	23	27	31	;
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517	4	8	11	15	19	23	26	30	;
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879	4	7	11	14	18	22	25	29	;
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224	3	7	10	14	17	21	24	27	;
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549	3	6	10	13	16	19	23	26	1
0.7	.7580	.7611	.7642	.7673	.7703	.7734	.7764	.7793	.7823	.7852	3	6	9	12	15	18	21	24	2
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133	3	6	8	11	14	17	19	22	2
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389	3	5	8	10	13	15	18	20	2
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621	2	5	7	9	12	14	16	18	2
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830	2	4	6				14		
1.2	.8849	.8869	.8888.	.8907	.8925	.8944	.8962	.8980	.8997	.9015	2	4	6				13		
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177	2	3	5	6			11		
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319	1	3	4	6	7	8	10	11	
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441	1	2	4	5	6	7		10	•
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545	1	2	3	4	5	6	7	8	
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633	1 1	2	3	3	4	5	6	7	
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706	1	1	2	3	4	4	5	6	
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767	1	1	2	2	3	4	4	5	
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817	0	1	1	2	2	3	3	4	
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857	0	1	1	2	2	2	3	3	
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890	0	1	1	1	2	2	2	3	
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916	0	1	1	1	1	2	2	2	
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936	0	0	1	1	1	1	1	2	
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952	0	0	0	1	1	1	1	1	
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964	0	0	0	0	1	1	1	1	
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974	0	0	0	0	0	1	1	1	
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981	0	0	0	0	0	0	0	1	
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986	0	0	0	0	0	0	0	0	
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990	0	0	0	0	0	0	0	0	,
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993	0	0	0	0	0	0	0	0	
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995	0	0	0	0	0	0	0	0	
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997	0	0	0	0	0	0	0	0	
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998	0	0	0	0	0	0	0	0	
3.5	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	.9998	0	0	0	0	0	0	0	0	
3.6	.9998	.9998	.9999	.99999	.99999	.9999	.9999	.99999	.99999	.9999	0	0	0	0	0	0	0	0	
3.7	.9999	.9999	.9999	.99999	.99999	.99999	.99999	.9999	.9999	.9999	0	0	0	0	0	0	0	0	
3.8	.9999	.99999	.9999	.99999	.99999	.99999	.99999	.99999	.9999	.9999	0	0	0	0	0	0	0	0	
3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0	0	0	0	0	0	0	0	

END OF FORMULA SHEET

Continuous distributions						
normal	If X is distributed N(μ , σ^2) and $Z = \frac{X - \mu}{\sigma}$, then Z is distributed N(0, 1).					

Specific Instructions to students

This part consists of 27 questions.

Answer **all** questions in this part on the answer sheet provided for multiple-choice questions. A correct answer scores 1, an incorrect answer scores 0. No mark will be given for a question if two or more letters are shaded for that question. Marks will not be deducted for incorrect answers. You should attempt every question.

Question 1

 $\frac{2x+2}{x-5} \text{ equals}$ A. $2 + \frac{8}{x-5}$ B. $2 - \frac{8}{x-5}$ C. $2 + \frac{12}{x-5}$ D. $2 - \frac{12}{x-5}$

E. $2 - \frac{6}{x+1}$

Question 2

If $x^4 + x^3 + ax^2 + bx + 30$ has a factor (x + 1) and another factor (x - 2), then the values of a and b are

А.	а 19	<i>b</i> 11
B.	-19	11
C.	-19	- 11
D.	-10	3
E.	3	10

2004 Mathematical Methods Trial Examination 1 Part I

Question 3


Which one of the following does not have an inverse function?

- A. $f(x) = \frac{3}{x-2}$ $x \neq 2$
- **B.** $f(x) = x^3 x$ $x \in R$
- C. $f(x) = \sin(2x) \frac{\pi}{4} \le x \le \frac{\pi}{4}$
- **D.** $f(x) = e^{-0.5x}$ $x \in R$

$$\mathbf{E.} \qquad f(x) = 2x - 3 \quad x \in \mathbb{R}$$

Question 4

Which one of the following is most likely to be the graph of $y = \log_e(x - a) + b$ where *a* and *b* are positive real numbers?



2004 Mathematical Methods Trial Examination 1 Part I

Question 5

The sum of the exact solutions of the equation $\sqrt{3}\sin\left(\frac{3\pi}{2}x\right) = -\cos\left(\frac{3\pi}{2}\right)$ $0 \le x \le 2$

- A. $\frac{8\pi}{3}$
- **B.** $\frac{11\pi}{3}$
- C. $\frac{33\pi}{6}$
- **D.** $\frac{8}{3}$
- **E.** $\frac{11}{3}$

Question 6

If $f(x) = 1 + \sqrt{x}$ then which one of the following statements is true?

A. The domain of $f^{-1}(x)$ is $x \ge 1$

B.
$$f^{-1}(x) = (x+1)^2$$

- C. The graphs of f(x) and $f^{-1}(x)$ intersect at the point (1,1)
- **D.** The range of $f^{-1}(x)$ is x > 1
- **E.** The range of $f^{-1}(x)$ is $x \le 1$

If the graph of f(x) has a local maximum at (-1,16) and a local minimum at (3,-16), then the graph of g(x) = f(x-2) + 3 has

- A. a local maximum at (-3,19) and a local minimum at (1,-13)
- **B.** a local maximum at (-3,19) and a local minimum at (1,-19)
- **C.** a local maximum at (2,19) and a local minimum at (2,-13)
- **D.** a local maximum at (1,19) and a local minimum at (5,-19)
- **E.** a local maximum at (1,19) and a local minimum at (5,-13)

Question 8

If $f(x) = 3 \log_3(x+2) - 1$ cuts the X axis at b, then the value of b is

- **A.** -3
- **B.** −1
- C. $\sqrt[3]{3} 2$
- **D.** $\sqrt[3]{\frac{1}{3}} 2$
- **E.** $\sqrt[3]{\frac{5}{3}}$

Question 9

If $y = 5 - 3\sin(2x)$, then the maximum value of $\frac{dy}{dx}$ is

- **A.** 2
- **B.** 3
- **C.** 6
- **D.** 8
- **E.** 12

If
$$f(x) = x^4 e^{-3x}$$
 then $f'(x)$ equals
A. $x^3 e^{-3x}$ (4-3x)

- **B.** $-12x^3e^{-3x}$
- C. $4x^3e^{-3x} x^4e^{-3x}$
- **D.** $-3x^4e^{-3x}$
- **E.** $-3x^4e^{-6x}$

Question 11

If
$$y = \frac{2x^2}{x^3 + 2}$$
 then $\frac{dy}{dx}$ equals 0 when

- **A.** $(x^3 + 2) = 0$
- **B.** $x^3 2x^2 + 2 = 0$

C.
$$4x^3 + 8 - 2x^4 = 0$$

D.
$$4x^3 + 8 - 6x^4 = 0$$

E. $x(4-x^3)=0$

If $V = (2y-3)^5$ and $y = (2x-3)^2$ then $\frac{dV}{dx}$ equals

- A. $40(2x-3)^5$
- **B.** $10(2x-3)^5$
- C. $40(2y-3)^4(2x-3)$


D.
$$10(2y-3)^4(2x-3)$$

$$\mathbf{E.} \qquad 8x$$

Question 13


The gradient of a curve y = f(x) is given by f'(x) = (3 - x)(5 - 2x). The equation of this curve that passes through the point (6,66) is f(x) equals

- A. $\frac{2}{3}x^3 \frac{11}{2}x^2 + 15x$
- **B.** $\frac{2}{3}x^3 \frac{11}{2}x^2 + 15x 420$
- C. $\frac{2}{3}x^3 \frac{11}{2}x^2 + 15x + 486$
- **D.** $\frac{2}{3}x^3 \frac{11}{2}x^2 + 15x + 198$
- **E.** $\frac{2}{3}x^3 \frac{11}{2}x^2 + 15x + 30$



The above graph has the equation $y = 4ax - ax^2$. The area between the curve and the X axis is

- $10\frac{2}{3}a$ A.
- $11\frac{2}{3}a$ B.
- **C.** 12*a*
- **D.** $21\frac{1}{3}a$ **E.** $42\frac{2}{3}a$



The shaded area in the above graph is equal to

$$\mathbf{A.} \qquad \int_{-1}^{2} [g(x) - f(x)] dx$$

B.
$$\int_{-1}^{0} [f(x) - g(x)] dx + \int_{0}^{2} [g(x) - f(x)] dx$$

C.
$$\int_{0}^{3} [f(x) - g(x)] dx$$

D.
$$\int_{0}^{3} [g(x) - f(x)] dx$$

E.
$$\int_{-1}^{2} [f(x) - g(x)] dx$$

Question 16

An antiderivative of $\frac{2x^2 - 1}{x} + \frac{1}{x - 2}$ could be

- $\mathbf{A.} \qquad x^2 + \log_e \left(\frac{x-2}{x} \right)$
- **B.** $x^2 + \log_e 2$
- C. $\frac{2x^2+1}{x^2} + \log_e(x-2)$
- **D.** $x^2 \log_e(x^2 2x)$
- **E.** $x^2 + \log_e(x^2 2x)$

An approximation for the area enclosed by the graph $y = 3^x$ and the *X* axis, between x = 0 and x = 4, using interval widths of one unit and using the trapezoidal method is

- **A.** 78
- **B.** 80
- **C.** 156
- **D.** 120
- **E.** 240

Question 18

A straight line of the form ax + y + b = 0 is perpendicular to the line 2y = x - 6 at the point (4, -1). The values of *a* and *b* are

А.	$-\frac{a}{2}$	b -1
B.	$\frac{1}{2}$	3
C.	-2	7
D.	-2	-7
E.	2	-7

The side length of a cube is 10 cm. If the length of each side is increased by 0.2 cm., then the approximate increase in the cube's surface area is

- **B.** 6 cm^2
- C. 12 cm^2
- **D.** 18 cm^2
- **E.** 24 cm^2

Question 20

If $x^2 - 2x + 3 = A(x^2 + 2) + (Bx + C)(x + 1)$ Then *C* equals

A. -1
B. 1
C. 2
D. 3

E. 5

Which one of the following statements is true about the graph of $y = 4(x-3)^3 + 2$?

A. The domain is
$$R$$
 and the range is R^+

- **B.** A stationary point of inflexion occurs at (-3,2)
- C. The graph of $y = x^3$ has been dilated by a factor of 4 parallel to the y axis

D. The graph of $y = x^3$ has been dilated by a factor of $\frac{1}{4}$ parallel to the x axis

E. The graph of $y = x^3$ has been translated 3 units to the left parallel to the x axis

Question 22

The graph of $y = \frac{5}{2x-4} + 3$ has asymptotes with equations

- A. x = 2, y = 3
- **B.** x = 4, y = 3
- C. x = -4, y = 3
- **D.** x = 4, y = -3
- **E.** x = -4, y = -3

	Girls	Boys
VCE language	23	17
No VCE language	14	18

The above table shows the number of girls and boys at a certain school who study a language at VCE. One of the language students is picked at random. The probability that this student is a boy is

A.	<u>5</u> 9

- **B.** $\frac{17}{18}$
- C. $\frac{17}{32}$
- **D.** $\frac{17}{35}$
- E. $\frac{17}{40}$

Question 24

Which one of the following represents a probability function?

A.
$$P(x) = \frac{1}{4}(2x+1)$$
 where $x = 0, 1$

B.
$$P(x) = \frac{1}{30}(5x-1)$$
 where $x = 0, 1, 2, 3$

C.
$$P(x) = \frac{1}{30}(5x+1)$$
 where $x = 0, 1, 2, 3$

D.
$$P(x) = \frac{1}{10}x^2(4-x)$$
 where $x = 0, 1, 2, 3, 4$

E.
$$P(x) = \frac{1}{100}x^2(8-x)$$
 where $x = 0, 1, 2$

© Kilbaha Multimedia Publishing 2004

A box contains 8 blue balls and 10 green balls. A sample of 5 balls is drawn at random without replacement. The standard deviation of the number of blue balls in the sample is closest to

- A. 0.94B. 0.97
- **C.** 1.11
- **D.** 1.23
- **E.** 2.22

Question 26

A fair die is tossed ten times. The probability of getting at least 9 sixes is

- **A.** $\left(\frac{1}{6}\right)^{10} + {\binom{10}{9}} \left(\frac{1}{6}\right)^9 \left(\frac{5}{6}\right)$
- $\mathbf{B.} \qquad \binom{10}{9} \left(\frac{1}{6}\right)^9 \left(\frac{5}{6}\right)$
- C. $\left(\frac{1}{6}\right)^{10} + {\binom{10}{10}} \left(\frac{1}{6}\right)^{10} \left(\frac{5}{6}\right)^{0}$
- $\mathbf{D.} \qquad \frac{\binom{6}{1}\binom{5}{4}}{\binom{10}{9}}$
- **E.** $\left(\frac{1}{6}\right)^9 \times \frac{5}{6}$

For a normal distribution with a mean of 90 and a standard deviation of 2.5, the probability that X lies within $\pm a$ of the mean is 0.82. The value of a is closest to

- **A.** 0.92
- **B.** 1.34
- **C.** 1.87
- **D.** 2.29
- **E.** 3.35

END OF PART I MULTIPLE CHOICE QUESTION BOOK

KILBAHA MULTIMEDIA PUBLISHING	TEL: (03) 9817 5374
PO BOX 2227	FAX: (03) 9817 4334
KEW VIC 3101	chemas@chemas.com
AUSTRALIA	www.chemas.com

VICTORIAN CERTIFICATE OF EDUCATION 2004

MATHEMATICAL METHODS

Trial Written Examination 1 (Facts, skills and applications)

Reading time: 15 minutes Total writing time: 1 hour 30 minutes

PART II

QUESTION AND ANSWER BOOK

Structure of book

Number of	Number of questions	Number
questions	to be answered	of marks
6	6	23


Specific Instructions to students

Answer all questions in this part in the spaces provided.

Question 1

b.

a. On the axes below, sketch the graph of $f(x) = 2x^3 + 1$ $0 \le x \le 3$ Clearly label all important points.



c. On the same set of axes, sketch $f^{-1}(x)$ showing all relevant points.

(1 + 1 + 1 = 3 marks)

2004 Mathematical Methods Trial Examination 1 Part II

Question 2

The function g is defined by $g(x) = 2x^2 - 12x + 31$

a. Express g in the form $g(x) = 2(x+a)^2 + b$ where a and b are integers.

b. Describe the transformations by which the graph of $f(x) = x^2$ is mapped to the graph of y = g(x)

(2 + 3 = 5 marks)

Question 3

a. For the curve $y = x^2 e^x$ find the coordinates of the points where x = 0 and x = -2. Give exact values.

b. Use calculus to show that the tangents to the graph $y = x^2 e^x$ at the points where x = 0 and x = -2 are horizontal lines.

Find the exact solutions of the equation $2\sin(2\pi x)\cos(2\pi x) + \sqrt{3}\sin(2\pi x) = 0$ $0 \le x \le 2$



(3 marks)

If $2 \log_a x + \log_a 5 = 1 + \log_a (8x - 3a)$ find, in terms of *a*, the possible values of *x*, where *a* is a positive contant.

(3 marks)

Question 6

a. A batch of 20 thumb tacks contains 4 defectives. Jess takes 6 thumb tacks at random from the batch. What is the probability that her selection contains at least one defective? Give your answer to four decimal places.

Question 6 (continued)

b. From a similar batch of 20 thumb tacks, Juan Li selects a thumb tack, inspects it, and then returns it to the batch before selecting another thumb tack. She does this four times. What is the probability that the second and fourth thumb tacks she withdraws are the only two defective thumb tacks she selects? Give your answer to four decimal places.

c. Abdul withdraws 4 thumb tacks with replacement from a similar batch of 20 thumb tacks. He rejects the batch if he withdraws at least one defective thumb tack. What is the probability he accepts the batch?

(2 + 1 + 1 = 4 marks)

End of 2004 Mathematical Methods Trial Examination 1 Question and Answer Book

KILBAHA MULTIMEDIA PUBLISHING	TEL: (03) 9817 5374
PO BOX 2227	FAX: (03) 9817 4334
KEW VIC 3101	chemas@chemas.com
AUSTRALIA	www.chemas.com